



## Brief paper

# A distributed algorithm for average consensus on strongly connected weighted digraphs<sup>☆</sup>



Attilio Priolo<sup>a</sup>, Andrea Gasparri<sup>a,1</sup>, Eduardo Montijano<sup>b,c</sup>, Carlos Sagues<sup>c</sup>

<sup>a</sup> Department of Engineering, Roma Tre University, Rome, Italy

<sup>b</sup> Centro Universitario de la Defensa (CUD), Zaragoza, Spain

<sup>c</sup> Instituto de Investigación en Ingeniería de Aragón (I3A), Universidad de Zaragoza, Spain

## ARTICLE INFO

## Article history:

Received 5 November 2012

Received in revised form

16 September 2013

Accepted 2 December 2013

Available online 7 January 2014

## Keywords:

Average consensus

Directed graphs

Broadcast communication

## ABSTRACT

In this work we propose a distributed algorithm to solve the discrete-time average consensus problem on strongly connected weighted digraphs (SCWDs). The key idea is to couple the computation of the average with the estimation of the left eigenvector associated with the zero eigenvalue of the Laplacian matrix according to the protocol described in Qu et al. (2012). The major contribution is the removal of the requirement of the knowledge of the out-neighborhood of an agent, thus paving the way for a simple implementation based on a pure broadcast-based communication scheme.

© 2013 Elsevier Ltd. All rights reserved.

## 1. Introduction

In the past decades, multi-agent systems have gained an increasing interest from the control theory community. Applications range from transportation to environmental monitoring (see Oh, Schenato, Chen, & Sastry, 2007). Distributed algorithms to estimate the status of the system are essential in this context, as they can help the agents modify their behavior in order to improve the global response (Gasparri, Fiorini, Di Rocco, & Panzieri, 2012; Ren & Beard, 2007).

Within several of the works related to this topic, the communication among agents is modeled using an undirected communication graph (see Mesbahi & Egerstedt, 2010 and the references therein). This is founded on the assumptions that the communication is isotropic, i.e., the employed antenna radiates its power uniformly in all directions and that its range is the same for all the agents in the network. Therefore, if an agent can communicate with another one, the opposite is possible as well. However, this

assumption is not always realistic in a real world scenario due, for example, to environmental effects or the radiation pattern of the agents (Luthy, Grant, & Henderson, 2007).

In this work, we consider a more general scenario where the communication among the agents is modeled as a directed graph. In particular, two different communication schemes can be considered, that is point-to-point or broadcast. We refer to point-to-point as a communication mechanism where an agent (sender) transmits a specific message to another agent (receiver), picking out exactly that agent among all of his neighbors. Note that this communication scheme requires the sender to know the neighbors it is going to send the messages to, i.e., each agent must know its out-neighborhood. In contrast, we refer to broadcast as a communication mechanism where an agent (sender) can simply transmit a message which will be received by any other agent (receivers) within its range of transmission. In our opinion, this latter communication mechanism represents a better choice since it can be more easily implemented and provides a higher robustness to the system.

Our contribution is a novel distributed algorithm to compute the average consensus over any strongly connected weighted digraph, which can be run concurrently with the estimation procedure described in Qu, Li, and Lewis (2012) for the computation of the left eigenvector associated with the zero eigenvalue of the Laplacian matrix and for which agents are not required to be aware of their out-neighborhood. To the best of our knowledge, this work introduces the first approach suitable for an implementation based on a pure broadcast communication scheme.

<sup>☆</sup> This work was partially supported by the Italian grant FIRB “Futuro in Ricerca”, project NECTAR “Networked Collaborative Team of Autonomous Robots”, code RBFR08QWUV, funded by the Italian Ministry of Research and Education (MIUR) and by the Spanish Ministerio de Economía y Competitividad projects DPI2009-08126 and DPI2012-32100. The material in this paper has not been presented at any conference. This paper was recommended for publication in revised form by Associate Editor Tamas Keviczky under the direction of Editor Frank Allgöwer.

E-mail addresses: [priolo@dia.uniroma3.it](mailto:priolo@dia.uniroma3.it) (A. Priolo), [gasparri@dia.uniroma3.it](mailto:gasparri@dia.uniroma3.it) (A. Gasparri), [emonti@unizar.es](mailto:emonti@unizar.es) (E. Montijano), [csagues@unizar.es](mailto:csagues@unizar.es) (C. Sagues).

<sup>1</sup> Tel.: +39 06 57333206; fax: +39 06 57333612.

## 2. Related works

In this section we review the major contributions available at the state of the art concerning the average consensus problem on digraphs.

In Dominguez-Garcia and Hadjicostis (2011), a doubly stochastic weight matrix is computed by an iterative procedure that adjusts the outgoing weights of each node. Notably, the fact that the columns of the weight matrix sum to one at each step, guarantees that the average consensus can be performed in parallel with respect to the convergence of the weight matrix to a doubly stochastic form.

In Cai and Ishii (2012), the average consensus over a directed network topology is addressed. The proposed algorithms require an augmentation of the variables of each agent adding a “surplus” variable to be sent to the different out-neighbors, thus requiring the knowledge of the out-neighborhood.

In Atrianfar and Haeri (2012), the average consensus problem is addressed both in the continuous time and in the discrete time under the assumption of switching network topology. However, the discrete time consensus algorithm requires the adjacency matrix to be doubly stochastic.

In Hadjicostis and Charalambous (2013), the discrete-time average consensus problem in the presence of bounded delays in the communication links and changing interconnections is addressed. The proposed ratio-consensus protocol requires that each agent is aware of the number of its out-neighborhood.

In Dominguez-Garcia and Hadjicostis (2013), the authors present a class of distributed iterative algorithms to asymptotically scale a primitive column stochastic matrix to a double stochastic and demonstrate the application of these algorithms to the average consensus problem. In particular, each node is in charge of assigning weights on its outgoing edges based on the weights on its incoming edges. Thus, the knowledge of the out-neighborhood is required.

Kempe, Dobra, and Gehrke (2003) propose a gossip-based *push-sum* protocol to compute the average based on the assignment of the weights of the out-going neighbors such that their sum is unitary or, in other terms, the knowledge of each agent’s out-degree is required.

Olshevsky and Tsitsiklis (2009) present two different strategies to compute the average when the graph is not balanced. The first one requires the exact knowledge of the left eigenvector whereas the second one assumes bidirectional communications, i.e., an undirected graph. Compared to these algorithms our approach can be run on any strongly connected digraph without any prior knowledge of its left eigenvector.

Consensus in time-varying digraphs is analyzed in Hendrickx and Tsitsiklis (2013) and Touri (2012), giving conditions on the sequence of graphs to ensure convergence to a weighted average of the initial conditions. However, in order to reach the exact average, the sequence of matrices needs to be doubly stochastic or balanced.

Eventually, in Chen, Tron, Terzis, and Vidal (2010) an approach to solve the average consensus on networks with random packet losses is presented. In contrast to our approach, this work requires the agents to send an additional variable keeping track of the changes in the state variables caused by the neighbors influence. However, the assumption on the links failure probabilities implies the existence of bidirectional communications.

## 3. Preliminaries

Let us consider a set of  $n$  agents whose communication network is described by a *digraph*  $\mathcal{G}(\mathcal{V}, \mathcal{E})$  where  $\mathcal{V} = \{1, \dots, n\}$  is the set of nodes and  $\mathcal{E} \subseteq \mathcal{V} \times \mathcal{V}$  is the set of directed edges, i.e., ordered pairs of nodes. Let us define the *weighted adjacency matrix*  $\mathcal{A}(\mathcal{G}) \in \mathbb{R}^{n \times n}$  as follows:  $\mathcal{A}_{ij}(\mathcal{G}) > 0$  if  $(j, i) \in \mathcal{E}$ ,  $\mathcal{A}_{ij}(\mathcal{G}) = 0$  otherwise.

Note that  $\mathcal{A}_{ij}(\mathcal{G}) > 0$  if agent  $i$  can receive data from agent  $j$ . It is worthwhile to point out that the previously defined adjacency

matrix is based on the incoming edges of each node. It is assumed that no self-loops exist in the network, i.e.,  $(i, i) \notin \mathcal{E}$ . The in-degree and the out-degree of a node  $k$  are given by  $d_{\text{in}}(k) = \sum_j \mathcal{A}_{kj}(\mathcal{G})$  and  $d_{\text{out}}(k) = \sum_j \mathcal{A}_{jk}(\mathcal{G})$ , respectively. The *Laplacian matrix* is defined as  $\mathcal{L}(\mathcal{G}) = \mathcal{D}(\mathcal{G}) - \mathcal{A}(\mathcal{G})$ , with  $\mathcal{D}(\mathcal{G})$  the *diagonal in-degree matrix* defined as  $\mathcal{D}(\mathcal{G}) = [d_{\text{in}}(1), \dots, d_{\text{in}}(n)]^T$ . For the sake of readability, the dependency on the graph  $\mathcal{G}$  will be omitted in the rest of the paper. Let us recall that the Laplacian matrix is a non-symmetric weakly diagonal dominant matrix. It has a zero structural eigenvalue for which the corresponding right eigenvector is the vector of ones of appropriate size, i.e.,  $\mathcal{L}\mathbf{1} = \mathbf{0}$ .

Let the following assumptions be satisfied throughout the rest of the paper:

- A1 A unique identifier is associated with each agent  $i$  of the network, e.g., the MAC address.
- A2 Each agent sends  $n$  variables.
- A3 Each agent does not know the number of agents receiving its information (i.e., its out degree).
- A4 The network topology of the considered multi-agent system is described by a static SCWD.

In A1, we assume that each agent can distinguish the information coming from the other agents according to the identifier of the sender. In A2, it is assumed that each agent has enough storage size for the values coming from its in-neighbors. Therefore, the number of agents belonging to the network is known by each agent. In A3, it is stated that each agent cannot count the number of its out-neighbors. Eventually, in A4 we assume that the information produced by one node is propagated within the network.

## 4. Decentralized estimation of the left eigenvector

In this section, the distributed procedure for the estimation of the left eigenvector associated with the zero structural eigenvalue of the Laplacian matrix encoding an SCWD proposed in Qu et al. (2012) is briefly reviewed.

Let us consider the Perron matrix  $\mathcal{C}$  defined as:  $\mathcal{C} = \mathcal{I} - \beta \mathcal{L}$  with  $0 < \beta < \frac{1}{\psi}$  and  $\Psi = \max_i \{\sum_{j \neq i} \mathcal{A}_{ij}\}$  and let agent  $i$  have a variable  $\delta_i(k) = [\delta_{i1}(k) \dots \delta_{in}(k)]^T$  with initial values  $\delta_{ij}(0) = 1$  if  $i = j$ , 0 otherwise. At each iteration, the agents update their variables as follows:

$$\delta_{ij}(k+1) = \sum_{p \in \mathcal{N}_i \cup i} \mathcal{C}_{ip} \delta_{pj}(k), \quad (1)$$

with  $\mathcal{N}_i = \{j \in \mathcal{V} : (j, i) \in \mathcal{E}\}$  the in-neighborhood of agent  $i$ . Note that, update rule (1) can be put in vectorial form as:  $\Delta(k+1) = \mathcal{C} \Delta(k)$ , with  $\Delta(k) = [\delta_1(k), \dots, \delta_n(k)]^T$ . Noting that  $\Delta(0) = \mathcal{I}$ , it is easy to see that at iteration  $k$ , the variable  $\delta_i(k)$  contains exactly the value of the  $i$ th row of the matrix  $\mathcal{C}^k$ .

Let us denote by  $\lambda_{\mathcal{C}_i}$  and  $\lambda_{\mathcal{L}_i}$ , the  $i$ th eigenvalue of the Perron matrix  $\mathcal{C}$  and of the Laplacian matrix  $\mathcal{L}$ , respectively, for which holds:  $\lambda_{\mathcal{C}_i} = 1 - \beta \lambda_{\mathcal{L}_i}$ . It follows that the two matrices also share the same set of eigenvectors. In particular for the eigenvalue of maximum modulus of the Perron matrix  $\mathcal{C}$ , namely  $\lambda_{\mathcal{C}_1} = 1$ , to which corresponds the zero eigenvalue of the Laplacian matrix  $\mathcal{L}$ , namely  $\lambda_{\mathcal{L}_1} = 0$  we have that  $\mathcal{C}\mathbf{1} = \lambda_{\mathcal{C}_1}\mathbf{1}$  and  $w^T \mathcal{C} = \lambda_{\mathcal{C}_1} w^T$ , with  $w^T$  the left eigenvector associated with  $\lambda_{\mathcal{C}_1}$  and  $\lambda_{\mathcal{L}_1}$ .

From the Perron–Frobenius theorem it follows that if the graph is strongly connected by applying the update rule given in (1), then  $\lim_{k \rightarrow \infty} \Delta(k) = \frac{\mathbf{1} w^T}{w^T \mathbf{1}}$  or, in other terms,  $\delta_i(k)$  will tend to the normalized left eigenvector  $w$  of the Laplacian matrix encoding the digraph.

## 5. Average consensus algorithm

In this section we present a solution to the average consensus problem on a general SCWD by using the left eigenvector estimation algorithm described in Section 4. For the sake of simplicity and without loss of generality, let us assume each agent  $i \in \mathcal{V}$  has a scalar state, namely  $x_i(k) \in \mathbb{R}$ , and the elements of the adjacency matrix are unitary. Let us refer to  $x(k) \in \mathbb{R}^n$  as the state vector  $x(k) = [x_1(k) \ x_2(k) \ \cdots \ x_n(k)]^T$  and to  $x(0) \in \mathbb{R}^n$  as the initial conditions of the system  $x(0) = [x_1(0) \ x_2(0) \ \cdots \ x_n(0)]^T$ .

Briefly speaking, the average consensus on a digraph is the problem of computing  $\mu = \sum_i x_i(0)/n$ , where each agent uses only its locally available information. The discrete time update law used to solve the consensus problem is given by the following equation:

$$x_i(k+1) = x_i(k) + \beta \sum_{j \in \mathcal{N}_i} (x_j(k) - x_i(k)). \quad (2)$$

Let us remark that, for each agent, the required information to compute (2) is obtained by its in-neighbors. The previous equation can be rearranged in terms of the product between a matrix and a vector as  $x(k+1) = \mathcal{C} x(k)$ .

It is a well established result that with a balanced digraph, the classical consensus algorithm leads to an average consensus (Carli, Fagnani, Speranzon, & Zampieri, 2008). Unfortunately, the same statement does not hold for the general case of digraphs, where the consensus value is given by  $\bar{\mu} = \sum_i w_i x_i(0) \neq \mu$ , with  $w_i$  the  $i$ th coefficient of the left eigenvector  $w = \mathbf{1}$  associated with the eigenvalue  $\lambda_{e_1}$  introduced before.

In order to reach the average in the case of a general SCWD, the actual initial conditions  $x(0)$  can be opportunely modified as  $\tilde{x}(0) = x(0) + \Gamma$  so that:

$$\mu = \frac{1}{n} \sum_{i=1}^n x_i(0) = \sum_{i=1}^n w_i (x_i(0) + \Gamma_i), \quad (3)$$

with  $\Gamma = [\Gamma_1 \ \cdots \ \Gamma_n]^T$  the extra term that needs to be adjusted. In particular, each component of the initial conditions is required to satisfy  $\frac{x_i(0)}{n} = w_i (x_i(0) + \Gamma_i)$ , which leads to

$$\Gamma_i = x_i(0) \left( \frac{1}{n w_i} - 1 \right) = x_i(0) \left( \frac{1 - n w_i}{n w_i} \right). \quad (4)$$

Let us now assume the left eigenvector to be available at time  $k = 0$ . This implies that the vector  $\Gamma$  can also be computed. Therefore, the average consensus over a digraph can be achieved by following two different approaches:

- (1) fixing the initial conditions  $x(0)$  before starting the algorithm,
- (2) injecting a suitable exogenous input at any given step  $k$ .

In the following, an algorithm based on the second strategy is described. To this end, let us first introduce the following proposition.

**Proposition 1.** *The correction term  $\Gamma$  can be equivalently injected at any iteration  $k$ , that is*

$$\langle x(0) + \Gamma, w \rangle = \langle x(k) + \Gamma, w \rangle,$$

where  $\langle \cdot, \cdot \rangle$  denotes the inner product in  $\mathbb{R}^n$ .

**Proof.** To prove the proposition let us recall the well known property of the left eigenvector for discrete time systems  $\langle x(k), w \rangle = \lambda_{e_1}^k \langle x(0), w \rangle$ . Thus, by linearity of the inner product and with  $\lambda_{e_1} = 1$ , it follows that:

$$\begin{aligned} \langle x(0) + \Gamma, w \rangle &= \langle x(0), w \rangle + \langle \Gamma, w \rangle \\ &= \langle x(k), w \rangle + \langle \Gamma, w \rangle \\ &= \langle x(k) + \Gamma, w \rangle. \quad \blacksquare \end{aligned}$$

By assuming the estimate of the eigenvector  $w$  to be asymptotic, it follows that a possible technique to asymptotically achieve the consensus is to modify the update rule given in Eq. (2) as follows:

$$x_i(k+1) = x_i(k) + \epsilon_i(k) + \beta \sum_{j \in \mathcal{N}_i} (x_j(k) + \epsilon_j(k) - x_i(k) - \epsilon_i(k)) \quad (5)$$

where the iterative error  $\epsilon_i(k)$  is defined as:

$$\epsilon_i(k) = \tilde{T}_i(k) - \tilde{T}_i(k-1) \quad (6)$$

with:

$$\tilde{T}_i(k) = x_i(0) \left( \frac{1}{n \delta_{ii}(k)} - 1 \right) \quad (7)$$

and  $\tilde{T}_i(-1) = 0$ . Clearly, from an implementation standpoint, each agent  $i$  broadcasts the quantity  $\hat{x}_i(k) = x_i(k) + \epsilon_i(k)$  at each time step  $k$ .

The modified consensus algorithm can be expressed in vector form as:

$$x(k+1) = \mathcal{C} (x(k) + \epsilon(k)) \quad (8)$$

with  $\epsilon(k) = [\epsilon_1(k) \ \cdots \ \epsilon_n(k)]^T$  the error vector at time  $k$ .

Algorithm 1 shows the pseudo-code of the  $k$ th iteration of the average consensus algorithm run by the  $i$ th agent.

---

### Algorithm 1 Average Consensus Algorithm

---

**Require:**  $\beta, x_i(k), \delta_i(k), \{x_j(k)\}, \{\delta_j(k)\} j \in \mathcal{N}_i$

**Ensure:**  $x_i(k+1)$

```

/* Update left eigenvector estimate */
1:  $\delta_i(k) \leftarrow \delta_i(k-1) + \sum_{j \in \mathcal{N}} \beta (\delta_j(k-1) - \delta_i(k-1))$ 

/* Compute exogenous input */
2:  $\epsilon_i(k) \leftarrow \frac{x_i(0)}{n} \left( \frac{\delta_{ii}(k-1) - \delta_{ii}(k)}{\delta_{ii}(k-1) \delta_{ii}(k)} \right)$ 

/* Update consensus estimate */
3:  $x_i(k+1) \leftarrow x_i(k) + \epsilon_i(k) + \beta \sum_{j \in \mathcal{N}_i} (x_j(k) + \epsilon_j(k) - x_i(k) - \epsilon_i(k))$ 

```

---

**Proposition 2.** *Let us assume the multi-agent system applies the modified consensus algorithm given in Eq. (8). Then it follows that:*

$$\lim_{k \rightarrow \infty} \langle x(k), w \rangle = \langle x(0), w \rangle + \langle \Gamma, w \rangle. \quad (9)$$

**Proof.** Let us consider the update at time  $k$

$$\begin{aligned} \langle x(k+1), w \rangle &= \langle x(k) + \epsilon(k), w \rangle \\ &= \langle x(k), w \rangle + \langle \epsilon(k), w \rangle \\ &= \langle x(k-1) + \epsilon(k-1), w \rangle + \langle \epsilon(k), w \rangle \\ &= \langle x(0), w \rangle + \left\langle \sum_{i=0}^k \epsilon(i), w \right\rangle. \end{aligned}$$

At this point, by noticing that the term  $\sum_{i=0}^k \epsilon(i) = \tilde{T}(k)$  is a telescoping series it follows that:

$$\langle x(k+1), w \rangle = \langle x(0), w \rangle + \langle \tilde{T}(k), w \rangle.$$

Furthermore by adding and subtracting the quantity  $\langle \Gamma, w \rangle$  to and from the right-hand side, it follows that:

$$\langle x(k+1), w \rangle = \langle x(0), w \rangle + \langle \Gamma, w \rangle + \langle \zeta(k), w \rangle$$

where  $\zeta(k) = [\zeta_1(k), \dots, \zeta_n(k)]^T$  with  $\zeta_i(k) = \tilde{\Gamma}_i(k) - \Gamma_i$ . Successively, due to the convergence properties of the left eigenvector estimation algorithm we have:

$$\lim_{k \rightarrow \infty} \zeta_i(k) = 0, \quad \forall i \in \mathcal{V}, \quad (10)$$

from which it follows:

$$\lim_{k \rightarrow \infty} \langle x(k), w \rangle = \langle x(0), w \rangle + \langle \Gamma, w \rangle,$$

thus proving the statement. ■

The following proposition provides a bound on the disagreement vector  $\varphi(k)$  defined as  $\varphi(k) = \mathbf{x}(k) - \mu \mathbf{1}$ .

**Proposition 3.** *Let us assume the multi-agent system applies the modified consensus algorithm given in Eq. (8). Then, the disagreement vector  $\varphi(k)$  can be bounded as:*

$$\|\varphi(k)\| \leq \chi_1 k |\lambda_{e_2}|^k + \chi_2 |\lambda_{e_2}|^k, \quad (11)$$

with  $\|\cdot\|$  the Euclidean norm and  $\chi_1, \chi_2 \in \mathbb{R}$  two positive constant values.

**Proof.** From Eq. (8) at the  $k$ th iteration we have  $x(k) = \mathcal{C}^k x(0) + \sum_{j=0}^{k-1} \mathcal{C}^{k-j} \epsilon(j)$ . From Eqs. (3), (6) and (7) the average can be put in the form

$$\mu = \mathbf{w}^T x(0) + \sum_{j=0}^{\infty} \mathbf{w}^T \epsilon(j).$$

The norm of the disagreement vector can be written as:

$$\begin{aligned} \|\varphi(k)\| &\leq \underbrace{\|\mathcal{C}^k x(0) - \mathbf{w}^T x(0) \mathbf{1}\|}_{t_1} \\ &\quad + \underbrace{\left\| \sum_{j=0}^{k-1} \mathcal{C}^{k-j} \epsilon(j) - \sum_{j=0}^{\infty} \mathbf{w}^T \epsilon(j) \mathbf{1} \right\|}_{t_2}. \end{aligned}$$

As in Montijano, Montijano, and Sagues (2013), let  $\mathcal{Q} = \mathcal{C} - \mathbf{1w}^T$ , whose eigenvalues are  $\lambda_{\mathcal{Q}_1} = 0$ , with  $\mathbf{w}$  and  $\mathbf{w}^T x(0) \mathbf{1}$  its corresponding left and right eigenvectors respectively, while the rest of the eigenvalues and eigenvectors are the same as for  $\mathcal{C}$ . At this point, since  $\mathcal{C}^k (\mathbf{w}^T x(0) \mathbf{1}) = (\mathbf{w}^T x(0) \mathbf{1})$  and  $\mathbf{1w}^T (x(0) - \mathbf{w}^T x(0) \mathbf{1}) = \mathbf{0}$ , we can see that  $\mathcal{C}^k (x(0) - \mathbf{w}^T x(0) \mathbf{1}) = \mathcal{Q}^k (x(0) - \mathbf{w}^T x(0) \mathbf{1})$ , for all  $k \in \mathbb{N}$ , and therefore:

$$\begin{aligned} t_1 &= \|\mathcal{Q}^k x(0) - \mathbf{w}^T x(0) \mathbf{1}\| \leq \|\mathcal{Q}\|^k \|x(0) - \mathbf{w}^T x(0) \mathbf{1}\| \\ &\leq \gamma_1 |\lambda_{e_2}|^k \|x(0) - \mathbf{w}^T x(0) \mathbf{1}\| \leq \chi_{21} |\lambda_{e_2}|^k, \end{aligned} \quad (12)$$

where  $\chi_{21} = \gamma_1 \|x(0) - \mathbf{w}^T x(0) \mathbf{1}\|$  is a constant value with  $\gamma_1$  another constant due to the diagonalization of  $\mathcal{C}$ .

The following holds for the second term  $t_2$ :

$$\begin{aligned} t_2 &= \left\| \sum_{j=0}^{k-1} (\mathcal{C}^{k-j} \epsilon(j) - \mathbf{w}^T \epsilon(j) \mathbf{1}) - \sum_{j=k}^{\infty} \mathbf{w}^T \epsilon(j) \mathbf{1} \right\| \\ &\leq \underbrace{\left\| \sum_{j=0}^{k-1} (\mathcal{C}^{k-j} \epsilon(j) - \mathbf{w}^T \epsilon(j) \mathbf{1}) \right\|}_{t_{21}} + \underbrace{\left\| \sum_{j=k}^{\infty} \mathbf{w}^T \epsilon(j) \mathbf{1} \right\|}_{t_{22}}. \end{aligned}$$

Regarding the term  $t_{21}$  we have that:

$$t_{21} \leq \sum_{j=0}^{k-1} \|\mathcal{C}^{k-j} \epsilon(j) - \mathbf{w}^T \epsilon(j) \mathbf{1}\|$$

$$\begin{aligned} &\leq \sum_{j=0}^{k-1} \|\mathcal{C}\|^{k-j} \|\epsilon(j) - \mathbf{w}^T \epsilon(j) \mathbf{1}\| \\ &\leq \sum_{j=0}^{k-1} \gamma_1 |\lambda_{e_2}|^{k-j} \underbrace{\|\epsilon(j) - \mathbf{w}^T \epsilon(j) \mathbf{1}\|}_{t_{211}}, \end{aligned}$$

where:

$$\begin{aligned} t_{211} &\leq \sqrt{n} \|\epsilon(j) - \mathbf{w}^T \epsilon(j) \mathbf{1}\|_{\infty} \\ &\leq \sqrt{n} \max_i |x_i(0) - w_i x_i(0)| \max_i \left| \frac{\delta_{ii}(j-1) - \delta_{ii}(j)}{n \delta_{ii}(j) \delta_{ii}(j)} \right| \\ &\leq \sqrt{n} \|x(0) - \mathbf{w}^T x(0) \mathbf{1}\| \max_i \underbrace{\left| \frac{\delta_{ii}(j-1) - \delta_{ii}(j)}{n \delta_{ii}(j) \delta_{ii}(j)} \right|}_{t_{2111}}. \end{aligned}$$

Since  $\delta_{ii}(j) \mathbf{1} = \mathcal{C}^j e_i$  with  $e_i$  the  $i$ th vector of the canonical basis, the following holds for the term  $t_{2111}$ :

$$\begin{aligned} t_{2111} &= \max_i \frac{|\delta_{ii}(j-1) - w_i + w_i - \delta_{ii}(j)|}{|n \delta_{ii}(j-1) \delta_{ii}(j)|} \\ &\leq \max_i \frac{\|\mathcal{C}^j e_i - w_i \mathbf{1}\| + \|\mathcal{C}^{j-1} e_i - w_i \mathbf{1}\|}{n \bar{d}^2} \\ &\leq \max_i \frac{\gamma_1 (|\lambda_{e_2}|^j + |\lambda_{e_2}|^{j-1}) \|e_i - w_i \mathbf{1}\|}{n \bar{d}^2} \\ &\leq \frac{\gamma_1 |\lambda_{e_2}|^j \left(1 + \frac{1}{|\lambda_{e_2}|}\right) \sqrt{2}}{n \bar{d}^2}, \end{aligned}$$

where the fact  $\|e_i - w_i \mathbf{1}\| \leq \sqrt{2}$  has been used and  $\bar{d} = \min_{i \in \mathcal{V}} \min_{j \in \mathbb{N}} \delta_{ii}(j) > 0$ .

Therefore, the term  $t_{211}$  is bounded by:

$$t_{211} \leq \chi_{11} |\lambda_{e_2}|^j, \quad (13)$$

with a constant  $\chi_{11}$  defined as:

$$\chi_{11} = \frac{\gamma_1 \left(1 + \frac{1}{|\lambda_{e_2}|}\right) \sqrt{2}}{n \bar{d}^2} \|x(0) - \mathbf{w}^T x(0) \mathbf{1}\|. \quad (14)$$

Therefore:


$$t_{21} \leq \sum_{j=0}^{k-1} \gamma_1 \chi_{11} |\lambda_{e_2}|^k \leq \gamma_1 \chi_{11} k |\lambda_{e_2}|^k, \quad (15)$$

and noting that  $\chi_1 = \gamma_1 \chi_{11}$  is also constant the first term of the right hand side of (11) is found.

Regarding the term  $t_{22}$ , following the same reasoning as in Eq. (13), we have that:

$$\begin{aligned} \|t_{22}\| &\leq \left\| \sum_{j=k}^{\infty} \mathbf{w}^T \epsilon(j) \mathbf{1} \right\| \\ &\leq \sqrt{n} \max_i \left| \lim_{j \rightarrow \infty} w_i \tilde{\Gamma}_i(j) - w_i \tilde{\Gamma}_i(k-1) \right| \\ &\leq \max_i \frac{\sqrt{n} x_i(0)}{n} \left| \frac{\delta_{ii}(k-1) - w_i}{\delta_{ii}(k-1)} \right| \\ &\leq \max_i \frac{\sqrt{n} x_i(0)}{\bar{d} n} \|\mathcal{C}^{k-1} e_i - w_i \mathbf{1}\| \\ &\leq \frac{\gamma_1 \|x(0)\| \sqrt{2}}{\bar{d} \sqrt{n} |\lambda_{e_2}|} |\lambda_{e_2}|^k \leq \chi_{22} |\lambda_{e_2}|^k, \end{aligned} \quad (16)$$





**Fig. 1.** Simulation involving a multi-agent system composed of six agents. Fig. 1(a) depicts the underlying communication graph describing the interaction among the six agents. Fig. 1(b) shows the left eigenvector estimation carried out by agent 1. Fig. 1(c) shows the standard consensus protocol, where the dotted line represents the average value. Fig. 1(d) shows the proposed modified consensus protocol.

with  $\chi_{22}$  another constant. At this point, by collecting all the terms given in Eqs. (12), (15) and (16) the bound given in Eq. (11) is obtained with  $\chi_2 = \chi_{21} + \chi_{22}$ . ■

It is now possible to characterize the convergence rate of the proposed algorithm as follows.

**Corollary 4.** *The convergence rate of the algorithm is:*

$$r_{\text{asym}} = \sup_{x(0) \neq \mu} \lim_{k \rightarrow \infty} \left( \frac{\|\varphi(k)\|}{\|\varphi(0)\|} \right)^{1/k} = |\lambda_{c_2}|. \quad (17)$$

**Proof.** The proof follows directly from the application of the result given in Proposition 3.

Notably, in our framework the modified consensus algorithm runs concurrently with the left eigenvector estimation protocol and since the two algorithms exhibit the same convergence rate, it follows that no real overhead is introduced in terms of number of exchanged packets at the cost of a slightly larger payload.

## 6. Simulations

In this section, a simulation involving a network of six agents is considered. The agents run both the classical discrete time consensus and the modified one proposed in this work along with the left eigenvector estimation. Fig. 1(a) depicts the agents' network topology. The initial conditions of the agents are  $x(0) = [64 \ 79 \ 4 \ 32 \ 9 \ 60]^T$ , leading to  $\mu = 41.3333$ . Fig. 1(b) depicts the estimation process of the left eigenvector associated with the zero eigenvalue of the Laplacian matrix for Agent 1. Fig. 1(c) depicts the execution of the standard consensus algorithm. It is worthwhile to notice that in this case the agents can achieve a consensus because the graph is an SCD, but the consensus value is different from  $\mu$ . Instead, in Fig. 1(d) the execution of the consensus using the modified algorithm is given. In this case, all the agents obtain  $\mu$  as their consensus value.

## 7. Conclusion

In this work we proposed a distributed algorithm for the average consensus on any strongly connected weighted digraph without the knowledge of the agents' out-neighborhood. The key idea is to couple the computation of the average with the estimation of the left eigenvector associated with the zero eigenvalue of the Laplacian matrix according to the estimation procedure described in Qu et al. (2012). Future work will be focused on the extension of the proposed approach to work on general time-varying digraphs.

## References

- Atrianfar, H., & Haeri, M. (2012). Average consensus in networks of dynamic multi-agents with switching topology: infinite matrix products. *ISA Transactions*, 51(4), 522–530.
- Cai, K., & Ishii, H. (2012). Average consensus on general strongly connected digraphs. *Automatica*, 48(11), 2750–2761.

- Carli, R., Fagnani, F., Speranzon, A., & Zampieri, S. (2008). Communication constraints in the average consensus problem. *Automatica*, 44(3), 671–684.
- Chen, Y., Tron, R., Terzis, A., & Vidal, R. (2010). Corrective consensus: converging to the exact average. In *IEEE conference on decision and control* (pp. 1221–1228).
- Dominguez-Garcia, A.D., & Hadjicostis, C.N. (2011). Distributed strategies for average consensus in directed graphs. In *IEEE conference on decision and control and European control conference* (pp. 2124–2129).
- Dominguez-Garcia, A. D., & Hadjicostis, C. N. (2013). Distributed matrix scaling and application to average consensus in directed graphs. *IEEE Transactions on Automatic Control*, 58(3), 667–681.
- Gasparri, A., Fiorini, F., Di Rocco, M., & Panzneri, S. (2012). A networked transferable belief model approach for distributed data aggregation. *IEEE Transactions on Systems, Man, and Cybernetics, Part B: Cybernetics*, 42(2), 391–405.
- Hadjicostis, C., & Charalambous, T. (2013). Average consensus in the presence of delays in directed graph topologies. *IEEE Transactions on Automatic Control*, [ISSN: 0018-9286] <http://dx.doi.org/10.1109/TAC.2013.2275669>. Early Access.
- Hendrickx, J. M., & Tsitsiklis, J. N. (2013). Convergence of type-symmetric and cut-balanced consensus seeking systems. *IEEE Transactions on Automatic Control*, 58(1), 214–218.
- Kempe, D., Dobra, A., & Gehrke, J. (2003). Gossip-based computation of aggregate information. In *Symposium on foundations of computer science* (pp. 482–491).
- Luthy, K.A., Grant, E., & Henderson, T.C. (2007). Leveraging RSSI for robotic repair of disconnected wireless sensor networks. In *IEEE int. conference on robotics and automation* (pp. 3659–3664).
- Mesbahi, M., & Egerstedt, M. (2010). *Princeton series in applied mathematics, Graph theoretic methods in multiagent networks*. Princeton University Press.
- Montijano, E., Montijano, J. I., & Sagues, C. (2013). Chebyshev polynomials in distributed consensus applications. *IEEE Transactions on Signal Processing*, 61(3), 693–706.
- Oh, S., Schenato, L., Chen, P., & Sastry, S. (2007). Tracking and coordination of multiple agents using sensor networks: system design, algorithms and experiments. *Proceedings of the IEEE*, 95(1), 234–254.
- Olshesky, A., & Tsitsiklis, J. N. (2009). Convergence speed in distributed consensus and averaging. *Journal on Control and Optimization*, 48(1), 33–55.
- Qu, Z., Li, C., & Lewis, F. (2012). Cooperative control with distributed gain adaptation and connectivity estimation for directed networks. *International Journal of Robust and Nonlinear Control*.
- Ren, W., & Beard, R. W. (2007). *Distributed consensus in multi-vehicle cooperative control: theory and applications*. Springer-Verlag.
- Touri, B. (2012). *Product of random stochastic matrices and distributed averaging*. Springer.



**Attilio Priolo** received the Master's degree in Computer Science and Automation Engineering in 2009 and the Ph.D. degree in Computer Science and Automation Engineering in 2013, both at Roma Tre University, in Rome, Italy. Currently, he is employed as an Unmanned Vehicle Engineer in the Research and Innovation Department at Info Solution S.p.A.



**Andrea Gasparri** received the Graduate degree "cum laude" in Computer Science in 2004 and the Ph.D. degree in Computer Science and Automation in 2008, both from the Roma Tre University, in Rome, Italy. He is currently an Assistant Professor at the Department of Engineering, Roma Tre University, in Rome, Italy. His current research interests include mobile robotics, sensor networks, and, more generally, networked multi-agent systems.



**Eduardo Montijano** received the M.Sc. and Ph.D. degrees from the Universidad de Zaragoza, Spain, in 2008 and 2012 respectively, supervised by Prof. Carlos Sagüés. He is currently a Professor at Centro Universitario de la Defensa, in Zaragoza, Spain. His research interests are computer vision and consensus algorithms applied to multiple robots.



**Carlos Sagüés** received the M.Sc. and Ph.D. degrees from the Universidad de Zaragoza, Spain. During the course of his Ph.D. he worked on force and infrared sensors for robots. Since 1994 he has been Associate Professor and, since 2009 Full Professor with the Departamento de Informática e Ingeniería de Sistemas, Universidad de Zaragoza, where he has also been Head Teacher. His current research interests include control systems, computer vision, visual robot navigation and multi-vehicle cooperative control.