

Operating Systems Overview

operating system

- no clear traditional definition
 - each definition cover a distinct aspect
- an interface between applications and hardware
 - true, this was the first reason for having an OS
- a set of programs that provides basic functionalities for managing system resources
 - true, but the OS is not only a “library” of functionalities
- a program that “controls” the execution of application programs
 - e.g. it decides which program is running and when²

my definition

- a software that does not **depend** on any other software in the computer
 - do you know what “depend” means?
 - in a certain sense it only depends on hardwarein current PC and servers it also is...
- a software that...
 - considers “activities” to be carried on and...
 - assigns “resources” to them
 - “activities” usually means “processes”
- this is the most interesting definition

Operating System as a Resource Manager

- **resource:** anything needed for program execution, e.g.
 - cpu time
 - I/O devices
 - memory
 - executable code
 - etc.
- an os manages...
 - resources
 - processes
 - many other “internal” data structures

my definition

if the hardware is so small that cannot carry on many tasks (e.g. a mobile phone)...

- less and less frequent
- ...it make simple for applicative software to interface with hardware
- hw interface on bigger systems is not the primary concern
 - handled with “drivers”

kernel

- its the OS as defined above
- it is always in main memory
- contains most frequently used functionality
- also called “nucleus”

kernel

- a very interesting piece of software!
- can be studied from several point of views
 - **structural**
 - which concepts realize?
 - which data structure adopts?
 - how it is modularized?
 - what are the interfaces among modules?
 - **behavioral**
 - which strategies adopt to optimize usage resources?
 - which algorithms it implements to maintain its data structures?
 - **synchronization**
 - oops! many things happens in the kernel at the same time. Consistency is hard to maintain. Large number of techniques uses. Completeley independent by OS study, but largely developed by the same community.

kernel

- didactic approach vs. reality
 - structural
 - what is the easiest way to realize a “decent” kernel?
 - what is there in a real kernel?
 - behavioral
 - what are the easiest strategies?
 - what are the ones that are adopted in practice?
 - synchronization
 - too complicated... there is a specific course for this



not on
the book


system software

- it is the software that is usually installed when the OS is installed on a computer system
 - e.g.
basic C runtime libraries,
sw to access the hard disk directory,
user interface,
etc.

overloaded language

- actually “OS” is an overloaded word
- it means
 - the **kernel**
 - the kernel **plus** the other system software
- meaning should be clear from the context

computer system layers



OS objectives

- **convenience**
 - makes the computer more convenient to use (for programmers and users)
- **efficiency**
 - allows computer system resources to be used in an efficient manner
- **ability to evolve**
 - permit effective development, testing, and introduction of new software (debug, isolation)

services provided by the os

- services for users
 - program execution, usually many at the same time
 - error detection and response
 - support for program development
 - ... and optionally
 - security (user login, user confinement, etc.)
 - accounting
- services for programs (or programmers)
 - resource management
 - es. memory and cpu time
 - access to I/O devices
 - es. files

user/system mode

- **user programs executes in user mode**
 - certain *privileged* machine instructions may not be executed
 - only a restricted part of main memory can be accessed (**user space**)
- **kernel executes in system mode**
 - a.k.a. **kernel mode** or **supervisor mode**
 - privileged instructions can be executed
 - protected areas of memory may be accessed (**kernel space**)

efficiency: i/o vs. cpu


Read one record from file	15 μ s
Execute 100 instructions	1 μ s
Write one record to file	<u>15 μs</u>
TOTAL	31 μ s

Percent CPU Utilization = $\frac{1}{31} = 0.032 = 3.2\%$

Figure 2.4 System Utilization Example


uniprogramming

- simple approach: execution must wait for I/O to complete before proceeding




multiprogramming

- when one job needs to wait for I/O, the processor can switch to the other job



(b) Multiprogramming with two programs

multiprogramming



(c) Multiprogramming with three programs

the user's point of view

- from the point of view of the user is a way to keep many applications active at the same time
 - e.g. I got frustrated by “uniprogrammed” smartphones need to close an app before open another one losing the work
- PC started to be multiprogrammed in 90s (about)
 - windows 3.1, Mac classic
 - GUIs greatly rise the demand of the user
- kernels that support mutliprogramming are much more complex
 - but, it is a “must have”
 - that is one of the main topic of this course

I/O bound vs. CPU bound processes

- I/O bound
 - mostly waiting for some data to arrive
 - use cpu for requesting more data from devices
 - e.g. DBMS, interactive applications
- cpu bound
 - mostly perform computation
 - rarely performs i/o to get data to compute
 - e.g. multimedia coding/encoding, complex graphic rendering, etc.

I/O bound vs. CPU bound processes

- a more complex example
 - sharable resources: cpu time and memory
 - non-sharable resources: disk, terminal, printer


	JOB1	JOB2	JOB3
Type of job	Heavy compute	Heavy I/O	Heavy I/O
Duration	5 min	15 min	10 min
Memory required	50 M	100 M	75 M
Need disk?	No	No	Yes
Need terminal?	No	Yes	No
Need printer?	No	No	Yes

CPU
bound


I/O
bound

I/O
bound

Utilization Histograms



(a) Uniprogramming



(b) Multiprogramming

time sharing

- CPU time is shared among multiple users or processes
- illusion of more CPUs

Major Achievements of Modern OSes

- Processes
- Memory Management
- Information protection and security
- Scheduling and resource management
- System structure

processes

- a program in execution (running) on a computer
- a unit of activity characterized by
 - an associated set of system resources
 - memory regions
 - open files
 - etc.
 - at least one execution **thread** with its current state of CPU

threads

- the entity that can be assigned to, and executed on, a processor
 - it is meaningful only within a process
 - described by
 - the value of the program counter
 - the value of the CPU registers
- in modern operating systems a process may contains one or more thread
- we always assume it contains one thread


many processes one CPU

- only one process can be executed by one CPU
- the other processes are somehow “forzen”
- what is needed to resume it is saved somewere
 - execution context

execution context

- cpu registers
- priority of the process
- is the process waiting for I/O? on which device?
- etc.
- etc.
- etc.
- etc.
- ...

process representation



Memory Management

- Process isolation
- Automatic allocation and management
- Support of modular programming
- Protection and access control
- Long-term storage

Virtual Memory

- Allows programmers to address memory from a logical point of view
- Virtual memory can be much larger than Real Memory
 - processes see a large virtual address space
- Real Memory is used only for (part of the) processes that are really need it

Paging


- Allows process to be comprised of a number of fixed-size blocks, called pages
- Virtual address is a page number and an offset within the page
- Each page may be located any where in main memory
- Real address or physical address in main memory are managed only by the kernel

Virtual Memory and Main Memory

A.1			
	A.0	A.2	
	A.5		
B.0	B.1	B.2	B.3
		A.7	
	A.9		
		A.8	
	B.5	B.6	

Main Memory

Main memory consists of a number of fixed-length frames, each equal to the size of a page. For a program to execute, some or all of its pages must be in main memory.




Disk

Secondary memory (disk) can hold many fixed-length pages. A user program consists of some number of pages. Pages for all programs plus the operating system are on disk, as are files.

Virtual Memory Addressing

- virtual addresses management
 - the Memory Management Unit of the CPU translates addresses from virtual to real
 - each time an machine instruction refers to memory
 - this is very very frequent!



- the kernel configure MMU
 - when a new process start
 - when a process need more memory
 - when a process need less memory

Information Protection and Security

- **Availability**
 - Concerned with protecting the system against interruption
- **Confidentiality**
 - Assuring that users cannot read data for which access is unauthorized

Information Protection and Security

- Data integrity
 - Protection of data from unauthorized modification
- Authenticity
 - Concerned with the proper verification of the identity of users and the validity of messages or data

Scheduling and Resource Management

- **Fairness**
 - Give equal and fair access to resources
- **Differential responsiveness**
 - Discriminate among different classes of jobs
- **Efficiency**
 - Maximize throughput, minimize response time, and accommodate as many uses as possible


Scheduling Elements

- queues
 - at least one for each resource
- CPU
 - short term
 - contains processes in main memory and ready to run
 - short term scheduler / dispatcher
 - simple approach: round robin (circular queue)
 - long term
 - new jobs waiting for the processor
 - long term scheduler
- I/O
 - at least queue for each device
 - interrupts

System Structure

- View the system as a series of levels
- Each level performs a related subset of functions
- Each level relies on the next lower level to perform more primitive functions
- This decomposes a problem into a number of more manageable subproblems

Layered Systems



System Structure

Hardware Levels

- Level 1
 - Electronic circuits
 - Objects are registers, memory cells, and logic gates
 - Operations are clearing a register or reading a memory location
- Level 2
 - Processor's instruction set
 - Operations such as add, subtract, load, and store

System Structure

Hardware Levels

- **Level 3**
 - Adds the concept of a procedure or subroutine, plus call/return operations
 - at this level everything of what you know in language like C or Java can be done, but I/O
- **Level 4**
 - **Interrupts <<<< very important**

System Structure

Basic Multiprogramming and Memory Management

- **Level 5**
 - Process management from the point of view of CPU (no I/O support)
 - Suspend and resume processes
 - execution context
- **Level 6**
 - Secondary storage devices
 - Transfer of blocks of data
- **Level 7**
 - Creates logical address space for processes
 - Organizes virtual address space into blocks

System Structure

Process communication, I/O, and Inter Process Communication

- **Level 8**
 - Communication of information and messages between processes
 - allow client/server within a single machine
- **Level 9**
 - Supports long-term storage of named files
- **Level 10**
 - Provides access to external devices using standardized interfaces

System Structure

Process communication, I/O, and Inter Process Communication

- **Level 11**
 - Responsible for maintaining the association between the external and internal identifiers
- **Level 12**
 - Provides full-featured facility for the support of processes

System Structure

User Interface

- Level 13
 - Provides an interface to the operating system for the user (shell)
 - windows and pointer GUI

Modern Operating Systems

- **Microkernel architecture**
 - **Assigns only a few essential functions to the kernel**
 - Address spaces
 - Interprocess communication (IPC)
 - Basic scheduling
 - **everything else is implemented as a process**

Modern Operating Systems

- Multithreading
 - Process is divided into threads that can run concurrently
 - Thread
 - Dispatchable unit of work
 - executes sequentially and is interruptable
 - Process is a collection of one or more threads

Modern Operating Systems

- Symmetric multiprocessing (SMP)
 - There are multiple processors
 - These processors share same main memory and I/O facilities
 - All processors can perform the same functions